





A0	RELEASED	Feng	06/01 - 23
REV	DESCRIPTION.	APPD.	Date

HULYN 深圳惠興力電子有限公司 SHEN ZHEN HUILY ELECTRONICS CO.,LTD.				
FILE NO : H186(Series)		TITLE 圖 名		UNIT 單位
TOLERANCE(公差) : 0.000 mm ± 0.10 mm 0.00 mm ± 0.25 mm 0.0 mm ± 0.30 mm		USB CF VERTICAL WATERPROOF H5.20 SMT TYPE IPX8		mm inch
		PART NO. 料 號		SCALE 比例
		H186-CF1WP11-X3CBDR		1 : 1
		DRAWN BY 製 圖	Feng	DATE 日 期
		CHECKED BY 審 核	Zhu	2023-01-06
		2023-01-06		REV. 版本
				A.1



NOTE:

1.MATERIAL:

BOX: FIBREBOARD, CORRUGATED, DOUBLE WALL.

TAPE: POLYSTYRENES, HEAT-RESISTANT TEMPERATURE: 120°C, BLACK COLOR.

REEL: POLYSTYRENES, HEAT-RESISTANT TEMPERATURE: 70°C, BLUE COLOR.

BAG: POLYETHYLENE, HEAT-RESISTANT TEMPERATURE: 100°C.

2.PEELING STRENGTH: 0.1 ~ 1.3 N (10 ~ 130 GRAMS)

3.PEELING SPEED: 300 mm/min.

4.EACH BAG SHALL BE INCLUDED DESICCANT.

A0	RELEASED	Feng	06/01-23
REV	DESCRIPTION.	APPD.	Date

HULYN		深圳惠興力電子有限公司			
SHEN ZHEN HUILY ELECTRONICS CO.,LTD.					
FILE NO : H186(Series)		TITLE 圖 名		USB CF VERTICAL WATERPROOF H5.20 SMT TYPE IPX8 包規	
TOLERANCE(公差): 0.000 mm ± 0.10 mm 0.00 mm ± 0.25 mm 0.0 mm ± 0.30 mm		PART NO. 料 號		H186-CF1WP11-X3CBDR	
		DRAWN BY 製 圖		Feng	DATE 日 期
		CHECKED BY 審 核		Zhu	DATE 日 期
		2023-01-06		2023-01-06	REV. 版本
					A.1

650	8	5200 PCS	-- KG	-- KG
PCS/ REEL	REELS/ CARTON	QUANTITY	GROSS WEIGHT	NET WEIGHT